ıles Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200

Homepage: www.csfchem.com

MATERIAL SAFETY DATA SHEET CSFC 360

DATE ISSUED: April 12, 2005 DATE REVISED: Aug 7, 2009

PAGE: 1-5

SECTION 1 IDENTIFICATION OF THE SUBSTANCE

Product name **CSFC 360**

Chemical identification 2,2'-Methylenebis(6-(2H-benzotriazol-2-yl)-4-

(1,1,3,3-tetramethylbutyl)phenol)

CAS Number 103597-45-1

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

CAS Number Product Name Content R-Phrase(s)

103597-45-1 2,2'-Methylenebis(6-(2H-benzotriazol-2-yl)-4-**R53** 100%

(1,1,3,3-tetramethylbutyl)phenol)

SECTION 3 HAZARDS IDENTIFICATION

May cause long-term adverse effects in the aquatic environment

SECTION 4 FIRST AID MEASURES

Skin contact

Wash off with soap and plenty of water. Do not use organic solvents.

Eye contact

Rinse immediately with plenty of water for at least 15 minutes. In case of eye irritation, seek medical attention.

Inhalation

Move to fresh air. In case of irritation of respiratory system or mucous membranes, seek medical attention. In case of indisposition, seek medical attention. In case of prolonged exposure, seek medical attention.

Ingestion

Immediately give plenty (> 500 ml) of water (if possible charcoal slurry). In case of spontaneous vomiting be sure that vomitus can freely drain due to danger of suffocation. Give water repeatedly. Artificial induction of vomiting should be restricted to first aid staff. Give nothing by mouth in cases of unconsciousness or convulsion. Seek medical advice.

SECTION 5 FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, Carbon dioxide (CO2), Foam, Dry powder

Extinguishing media which must not be used for safety reasons

High volume water jet

Exposure hazards

ıles Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200

Homepage: www.csfchem.com

Contaminated water from fire hoses or sprinklers, etc., must be prevented from draining into watercourses, sewers, orthe ground water. Sufficient measures must be taken to retain water used for extinguishing. Contaminated water and soil must be disposed of in conformity with local regulations.

Special protective equipment for firefighters

Wear full protective clothing. Wear self-contained breathing apparatus.

Combustion products

Oxides of carbon; Oxides of nitrogen (NOx); Toxic gases/vapours

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions

Do not breathe vapours/dust. Remove all sources of ignition. Avoid contact with skin, eyes and clothing.

Environmental precautions

Do not flush into surface water, sanitary sewer or ground water system.

Methods for cleaning up

Use mechanical handling equipment. Collect the spilled product into suitable containers, which must be tightly sealed and properly labelled. Avoid dust formation

SECTION 7 HANDLING AND STORAGE

Handling

Harmful. Handle and open container with care. Avoid dust formation and ignition sources. Ensure good local exhaust ventilation. Do not eat, drink or smoke at the workplace.

Storage

Keep away from food and drink. Store in the original container securely closed.

Danger! Explosion risk. Risk of explosion if an air-dust mixture forms. Avoid creating dusty conditions. Empty only into earthed containers. If container is larger than 2000 liter in volume, or when flammable solvents are present inert container or use a system otherwise designed to prevent or contain an explosion -- seek expert advice.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit(s)

Exposure limit (8 hour time weighted average)

Value 10 mg/m3

Justification to exposure limit Effects on liver and kidney in animal studies

Technical measures/Precautions

Exposure limit(s) should be monitored using suitable analytical equipments.

Respiratory protection

Effective dust mask.

Hand protection

Protective gloves



ıles Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200

Homepage: www.csfchem.com

Eye protection

Suitable goggles or face protection

Skin and body protection

Working clothes, Closed footwear

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Form powder Colour slightly yellow Odour odourless >195 °C Melting/freezing temperature

Boiling point/range not applicable Relative density 20 °C 1.2 g/cm3

Flash point

400 °C **BAM Ignition Temperature**

Oxidising properties not tested **Self-ignition temperature** no self-ignition Water solubility 20 °C < 0.007 mg/lVapour pressure 25 °C <0.01 Pa

Partition coefficient; Log Pow 12.7

20 - 25°C

pH-value 1 % suspension in water

20 - 25°C

Explosive properties not tested

SECTION 10 STABILITY AND REACTIVITY

Decomposition temperature > 360 °C

Conditions to avoid Static discharges.

Materials to avoid Strong acids, strong bases and

strong oxidising agents.

Hazardous decomposition products Oxides of carbon, Oxides of

nitrogen (NOx), Toxic

gases/vapours

SECTION 11 TOXICOLOGICAL INFORMATION

Acute oral toxicity LD50 > 2000 mg/kg

Rat

Acute eye irritation/corrosion not irritant

Rabbit

Acute dermal not irritant

irritation/corrosion

Rabbit

Acute skin sensitisation not sensitising

ıles Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200

Homepage: www.csfchem.com

Guinea pig

Further information

Following prolonged exposure, lymph node swelling (inflamation) was observed in rats.

SECTION 12 **ECOLOGICAL INFORMATION**

Acute toxicity to fish LC50 > 12.7 mg/l

Zebra fish (Brachydanio rerio) 96 h

Acute toxicity to daphnia EC50 >50.2 mg/l

Daphnia magna 24 h 20 °C

Acute toxicity to bacteria IC50 > 100 mg/l

Sewage sludge 3 h

Acute toxicity to algae EC50 > 2.0 mg/l

Scenedesmus sp. 72 h

Biodegradability <1.5

Ecotoxic effects

Do not discharge product uncontrolled into the environment

DISPOSAL CONSIDERATIONS SECTION 13

Waste from residues / unused products

Residual chemical should be disposed by incineration or by other modes of disposal in compliance with local legislation.

Contaminated packaging

Contaminated packaging material should be treated equivalent to residual chemical. Clean packaging material should be subjected to waste management schemes (recovery recycling, reuse) according to local legislation

SECTION 14 TRANSPORT INFORMATION

Flash point not tested Class: Free ADR/RID IMO Class: Free **ICAO** Class: Free

SECTION 15 **REGULATORY INFORMATION**

EC-Number 4.0-800-1

Contains 2,2'-Methylenebis(6-(2H-benzotriazol-2-yl)-4-(1,1,3,3-tetramethylbutyl)phenol)

Classification Classification according to EU, Annex 1; EC Label

R53 May cause long-term adverse effects in the R-Phrase(s)

aquatic environment

S61 Avoid release to the environment. Refer to S-Phrase(s)

special instructions/Safety data sheets.

SECTION 16 OTHER INFORMATION

Essential changes New layout





ıles Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200

Homepage: www.csfchem.com

THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED, EXCEPT THAT IT IS ACCURATE TO THE BEST KNOWLEDGE OF IT. THE DATA ON THIS SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN, ASSUMES NO LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON THIS DATA. This MSDS CANCELS AND REPLACES ANY PRECEDING RELEASE.