



CSFC TAIWAN ENTERPRISE CORPORATION

Sales Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China
Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200
Homepage: www.csfchem.com

MATERIAL SAFETY DATA SHEET CSFC 292

DATE ISSUED: April 12, 2001
DATE REVISED: Aug 7, 2009
PAGE: 1-6

SECTION 1 IDENTIFICATION OF THE SUBSTANCE

Trade name: CSFC 292

Product use: Hindered amine light stabilizer

CAS number: 41556-26-7, 82919-37-7

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical description: Substances presenting a health or environmental hazard

EC-Number	CAS Number	Chemical Name	Content	Symbol(s)	R-Phrase(s)
255-437-1	41556-26-7	bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	70 - 80 %	Xi - N	R43 - R50/53
280-060-4	82919-37-7	methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	20 - 30 %	Xi - N	R43 - R50/53

Chemical characterization: UV Stabilizer

SECTION 3 HAZARDS IDENTIFICATION

Classified as hazardous according the EU directives.

Xi Irritant

N Dangerous for the environment

May cause sensitization by skin contact.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 4 FIRST AID MEASURES

Contact with skin: Wipe with absorbent paper or textile towels. Wash off with soap and plenty of water. Do not use organic solvents. In case of dermatitis, seek medical attention.

Contact with eyes: Rinse immediately with plenty of water for at least 15 minutes. In case of eye irritation, seek medical attention.

Ingestion: Immediately give plenty (> 500 ml) of water (if possible charcoal slurry). In case of spontaneous vomiting be sure that vomitus can freely drain due to danger of suffocation. Give water repeatedly. Artificial induction of vomiting should be restricted to first aid staff. Give nothing by mouth in cases of unconsciousness or convulsion. Seek medical advice.

Inhalation: Move to fresh air. In case of irritation of respiratory system or mucous membranes, seek medical attention. In case of in disposition, seek medical attention. In case of prolonged exposure, seek medical attention.



CSFC TAIWAN ENTERPRISE CORPORATION

Sales Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China
Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200
Homepage: www.csfchem.com

SECTION 5 FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, Carbon dioxide (CO₂), Foam, Dry powder.

Extinguishing media which must not be used for safety reasons

High volume water jet

Exposure hazards

Contaminated water from fire hoses or sprinklers, etc., must be prevented from draining into watercourses, sewers, or

the ground water. Sufficient measures must be taken to retain water used for extinguishing.

Contaminated water and soil

must be disposed of in conformity with local regulations.

Special protective equipment for firefighters

Wear full protective clothing. Wear self-contained breathing apparatus.

Combustion products

Oxides of carbon; Oxides of nitrogen (NO_x); Toxic gases/vapors

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions

Do not breathe vapors/dust. Remove all sources of ignition. Avoid contact with skin, eyes and clothing.

Environmental precautions

Do not flush into surface water, sanitary sewer or ground water system.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Collect the spilled product into suitable containers, which must be tightly sealed and properly labeled.

SECTION 7 HANDLING AND STORAGE

Handling precautions: Dangerous for the environment. Handle and open container with care. Avoid vapor formation and ignition sources. Ensure good local exhaust ventilation. Do not eat, drink or smoke at the workplace

Storage conditions: Keep away from food and drink. Store in the original container securely closed. This product can form an ignitable vapor/air mixture. Take precautionary measures against static discharges, e.g. by using proper earthing techniques. Caution, keep this product well sealed. Keep in cool, dry place. Close containers immediately after use.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION



CSFC TAIWAN ENTERPRISE CORPORATION

Sales Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China

Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200

Homepage: www.csfchem.com

Precautionary measures: Exposure limit(s) should be monitored using suitable analytical equipments.

Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment.

Protection for hands: Protective gloves.

Eye protection: Suitable goggles or face protection

Protection for skin: Working clothes, closed footwear

Exposure limit(s) (ACGIH): (8 hour time weighted average)

1 mg/m³

Skin sensitizing in animal study

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Form	liquid
Color	slightly yellow
Odor	ester-like
Melting/freezing temperature	not applicable
Boiling point/range	> 350 °C
Relative density	20 °C 0.99 g/cm ³
Flash point	117 °C
Flammability	not tested
Ignition Temperature	380 °C
Oxidizing properties	not tested
Self-ignition temperature	not tested
Water solubility 20 °C	< 0.01 %
Solubility	not tested
Vapor pressure 20 °C	1.0E-4 Pa
Partition coefficient; Log Pow 20 - 25°C	2.37
pH-value 1 % suspension in water 20 - 25°C	8.4
Dynamic Viscosity 20 °C	400 mPa.s
Explosive properties	not tested
Evaporation rate	not tested
Vapor density	not tested

SECTION 10 STABILITY AND REACTIVITY

Decomposition temperature	325 °C	Tested as preparation
Conditions to avoid	No special conditions	
Materials to avoid	Strong acids, strong bases and strong oxidizing agents	
Hazardous decomposition products	Oxides of carbon, Oxides of nitrogen (NO _x), Toxic gases/vapors	



CSFC TAIWAN ENTERPRISE CORPORATION

Sales Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China
 Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200
 Homepage: www.csfchem.com

SECTION 11 TOXICOLOGICAL INFORMATION

Acute oral toxicity	LD50 > 2000 mg/kg	
<i>Rat</i>		
Acute dermal toxicity	L D50 > 2000 mg/kg	
<i>Rat</i>		
Acute Inhalation Toxicity	not tested	
Acute eye irritation/corrosion	not irritant	
<i>Rabbit</i>		
Acute dermal irritation/corrosion	not irritant	EPA-Guideline
<i>Rabbit</i>		
Acute skin sensitization	sensitizing	OECD 406

SECTION 12 ECOLOGICAL INFORMATION

Acute toxicity to fish	LC50 0.97 mg/l
<i>Bluegill 96 h</i>	
Acute toxicity to fish	LC50 7.9 mg/l
<i>Rainbow trout 96 h</i>	
Acute toxicity to daphnia	EC50 20 mg/l
<i>Daphnia magna 24 h</i>	
Acute toxicity to bacteria	IC50 > 100 mg/l
<i>Sewage sludge 3 h</i>	
Acute toxicity to algae	not tested
Biodegradability	Partially but not readily Biodegradable
Eco toxic effects	

Do not discharge product uncontrolled into the environment.

SECTION 13 DISPOSAL CONSIDERATIONS

Waste from residues / unused products

Residual chemical should be disposed by incineration or by other modes of disposal in compliance with local legislation.

Contaminated packaging

Contaminated packaging material should be treated equivalent to residual chemical. Clean packaging material should be subjected to waste management schemes (recovery recycling, reuse) according to local legislation.

SECTION 14 TRANSPORT INFORMATION

Flash point	117 °C
--------------------	--------



CSFC TAIWAN ENTERPRISE CORPORATION

Sales Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China
Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200
Homepage: www.csfchem.com

ADR/RID	Class: 9 UN No.: 3082 Packaging group: III Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Additional Information: (BIS-(TETRAMETHYL-4-PIPERIDYL) SEBACATE)
IMO	Class: 9 UN No.: 3082 Packaging group: III Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Additional Information: (BIS-(TETRAMETHYL-4-PIPERIDYL) SEBACATE)
ICAO	Class: 9 UN No.: 3082 Packaging group: III Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Additional Information: (BIS-(TETRAMETHYL-4-PIPERIDYL) SEBACATE)

SECTION 15 REGULATORY INFORMATION

Classification	Self-classification
Symbol(s)	Xi Irritant N Dangerous for the environment
R-Phrase(s)	R43 May cause sensitization by skin contact. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-Phrase(s)	S24 Avoid contact with skin S37 Wear suitable gloves S61 Avoid release to the environment. Refer to special instructions/Safety datasheets.
Contains	Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

SECTION 16 OTHER INFORMATION

R-phrases from chapter 2	R43 May cause sensitization by skin contact. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
--------------------------	--



CSFC TAIWAN ENTERPRISE CORPORATION

Sales Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China

Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200

Homepage: www.csfchem.com

THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED, EXCEPT THAT IT IS ACCURATE TO THE BEST KNOWLEDGE OF IT. THE DATA ON THIS SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN, ASSUMES NO LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON THIS DATA. This MSDS CANCELS AND RELACES ANY PRECEEDING RELEASE.