



CSFC TAIWAN ENTERPRISE CORPORATION

Head Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China
Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200
Homepage: www.csfchem.com

MATERIAL SAFETY DATA SHEET CSFC 944

DATE ISSUED: April 12, 2005
DATE REVISED: Aug 7, 2009
PAGE: 1-5

SECTION 1 IDENTIFICATION OF THE SUBSTANCE

Product name CSFC944
Chemical identification Sterically hindered amine light stabilizer
CAS Number 70624-18-9
Use Stabilizer

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances classified as hazardous to health in concentrations which should be taken into account according to EC directive.

SECTION 3 HAZARDS IDENTIFICATION

Not classified as hazardous according the EU directives.
No special hazards.

SECTION 4 FIRST AID MEASURES

Skin contact

Wash off with soap and plenty of water. Do not use organic solvents.

Eye contact

Rinse immediately with plenty of water for at least 15 minutes. In case of eye irritation, seek medical attention.

Inhalation

Move to fresh air. In case of irritation of respiratory system or mucous membranes, seek medical attention. In case of indisposition, seek medical attention. In case of prolonged exposure, seek medical attention.

Ingestion

Immediately give plenty (> 500 ml) of water (if possible charcoal slurry). In case of spontaneous vomiting be sure that vomitus can freely drain due to danger of suffocation. Give water repeatedly. Artificial induction of vomiting should be restricted to first aid staff. Give nothing by mouth in cases of unconsciousness or convulsion. Seek medical advice.

SECTION 5 FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, Carbon dioxide (CO₂), Foam, Dry powder

Extinguishing media which must not be used for safety reasons

High volume water jet

Exposure hazards

Contaminated water from fire hoses or sprinklers, etc., must be prevented from draining into



CSFC TAIWAN ENTERPRISE CORPORATION

Head Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China
 Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200
 Homepage: www.csfchem.com

watercourses, sewers, or the ground water. Sufficient measures must be taken to retain water used for extinguishing. Contaminated water and soil must be disposed of in conformity with local regulations.

Special protective equipment for firefighters

Wear full protective clothing. Wear self-contained breathing apparatus.

Combustion products

Oxides of carbon; Oxides of nitrogen (NO_x); Toxic gases/vapours

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions

Do not breathe vapours/dust. Remove all sources of ignition. Avoid contact with skin, eyes and clothing.

Environmental precautions

Do not flush into surface water, sanitary sewer or ground water system.

Methods for cleaning up

Use mechanical handling equipment. Collect the spilled product into suitable containers, which must be tightly sealed and properly labelled. Avoid dust formation

SECTION 7 HANDLING AND STORAGE

Handling

Avoid dust formation and ignition sources. Ensure good local exhaust ventilation. Do not eat, drink or smoke at the workplace.

Storage

Keep away from food and drink. Store in the original container securely closed.

Caution, keep this product well sealed. Keep in cool, dry place. Close containers immediately after use. Danger!

Explosion risk. Risk of explosion if an air-dust mixture forms. Avoid creating dusty conditions. Empty only into earthed containers. If container is larger than 2000 liter in volume, or when flammable solvents are present inert container or use a system otherwise designed to prevent or contain an explosion -- seek expert advice.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit(s)

Exposure limit (8 hour time weighted average)

0.5 mg/m³

Effects on lymph nodes in animal studies

Technical measures/Precautions

Exposure limit(s) should be monitored using suitable analytical equipments.

Respiratory protection

Effective dust mask.

Hand protection

Protective gloves



CSFC TAIWAN ENTERPRISE CORPORATION

Sales Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China
Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200
Homepage: www.csfchem.com

Eye protection

Suitable goggles or face protection

Skin and body protection

Working clothes , Closed footwear

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Form	powder	
Colour	white to off-white	
Odour	odourless	
Melting/freezing temperature	100 - 135 °C	
Boiling point/range	not applicable	
Relative density 20 °C	1.0 g/cm ³	
Flash point	> 150 °C	DIN 51758
Ignition Temperature	390 °C	BAM
Oxidising properties	not tested	
Self-ignition temperature	not tested	
Water solubility 20 °C	< 0.1 mg/l	
Vapour pressure 25 °C	6E-10 Pa	
Partition coefficient; Log Pow	2.44	
<i>20 - 25°C</i>		
pH-value 1 % suspension in water	6.8	
<i>20 - 25°C</i>		
Explosive properties	not tested	

SECTION 10 STABILITY AND REACTIVITY

Decomposition temperature	> 350 °C
Conditions to avoid	Static discharges.
Materials to avoid	Strong acids, strong bases and strong oxidising agents.
Hazardous decomposition products	Oxides of carbon, Oxides of nitrogen (NO _x), Toxic gases/vapours

SECTION 11 TOXICOLOGICAL INFORMATION

Acute oral toxicity	LD50 > 2000 mg/kg
<i>Rat</i>	
Acute dermal toxicity	LD50 > 3000 mg/kg
<i>Rat 14 d</i>	
Acute eye irritation/corrosion	not irritant OECD 405
<i>Rabbit</i>	
Acute dermal	not irritant OECD 404



CSFC TAIWAN ENTERPRISE CORPORATION

Head Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China
 Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200
 Homepage: www.csfchem.com

irritation/corrosion

Rabbit

Acute skin sensitisation

not sensitising OECD 406 / EEC B 6

Guinea pig

Further information

Following prolonged exposure, lymph node swelling (inflammation) was observed in rats.

SECTION 12 ECOLOGICAL INFORMATION

Acute toxicity to fish

LC50 > 100 mg/l OECD 203 /EEC C 1

Zebra fish (Brachydanio rerio) 96 h

Tested with supersaturated solution (100 mg active substance / L prepared without any additive)

Acute toxicity to daphnia

EC50 > 100 mg/l OECD 202 /EEC C 2

Daphnia magna 24 h 20 °C

Tested with supersaturated solution (100 mg active substance / L prepared without any additive)

Acute toxicity to bacteria

IC50 > 100 mg/l OECD 209

Sewage sludge 3 h

Acute toxicity to algae

EC50 > 100 mg/l OECD 201 /EEC C 3

Scenedesmus sp. 72 h

Biodegradability

Not biodegradable OECD 301 B

Ecotoxic effects

Do not discharge product uncontrolled into the environment

SECTION 13 DISPOSAL CONSIDERATIONS

Waste from residues / unused products

Residual chemical should be disposed by incineration or by other modes of disposal in compliance with local legislation.

Contaminated packaging

Contaminated packaging material should be treated equivalent to residual chemical. Clean packaging material should be subjected to waste management schemes (recovery recycling, reuse) according to local legislation

SECTION 14 TRANSPORT INFORMATION

Flash point

> 150 °C

ADR/RID

Class: Free

IMO

Class: Free

ICAO

Class: Free



CSFC TAIWAN ENTERPRISE CORPORATION

Head Office: 3F, No. 14, Cuizhu North Road, Yangzhong, Jiangsu, China
Tel: +86-511-88365501 Fax: +86-511-88350971 Post code:212200
Homepage: www.csfchem.com

SECTION 15 REGULATORY INFORMATION

Classification Classification not required

SECTION 16 OTHER INFORMATION

Essential changes New layout

-

THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED, EXCEPT THAT IT IS ACCURATE TO THE BEST KNOWLEDGE OF IT. THE DATA ON THIS SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN, ASSUMES NO LEGAL RESPONSIBILITY FOR USE OR RELIANCE UPON THIS DATA. This MSDS CANCELS AND REPLACES ANY PRECEDING RELEASE..